

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

1 Identification of substance:

Product details:

Product name: 1,1,1,3,3,3-Hexamethyldisilazane

Stock number: L16519

Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company
 Johnson Matthey Catalog Company, Inc.
 30 Bond Street
 Ward Hill, MA 01835-8099
 Emergency Phone: (978) 521-6300
 CHEMTREC: (800) 424-9300
 Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency information:

During normal hours the Health, Safety and Environmental Department.
 After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:

Chemical characterization:

Description: (CAS#)

1,1,1,3,3,3-Hexamethyldisilazane (CAS# 999-97-3), 100%

Identification number(s):

EINECS Number: 21-346-0

3 Hazards identification

Hazard description:



C Corrosive
 F Highly flammable

Information pertaining to particular dangers for man and environment

R 11 Highly flammable.

R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R 34 Causes burns.

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH	2	Health (acute effects) = 2
FIRE	3	Flammability = 3
REACTIVITY	1	Reactivity = 1

4 First aid measures

General information

Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 2)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

Product name: 1,1,1,3,3,3-Hexamethyldisilazane

(Contd. of page 1)

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.**5 Fire fighting measures****Suitable extinguishing agents**CO₂, sand, extinguishing powder. Do not use water.**For safety reasons unsuitable extinguishing agents** Water**Special hazards caused by the material, its products of combustion or resulting gases:**

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NO_x)

Ammonia

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Keep away from ignition sources.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Information for safe handling:**

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

(Contd. on page 3)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

Product name: 1,1,1,3,3,3-Hexamethyldisilazane

(Contd. of page 2)

Storage**Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Information about storage in one common storage facility:

Store away from water/moisture.

Do not store together with acids.

Store away from oxidizing agents.

Further information about storage conditions:

Store under dry inert gas.

Protect from humidity and water.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Not required.

Additional information: No data**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands: Impervious gloves**Eye protection:**

Safety glasses

Tightly sealed goggles

Full face protection

Body protection: Protective work clothing.**9 Physical and chemical properties:****General Information**

Form:	Liquid
Color:	Colorless
Odor:	Pungent

Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	126-127°C (259-261°F)
Sublimation temperature / start:	Not determined

Flash point:	8°C (46°F)
---------------------	------------

Ignition temperature:	380°C (716°F)
------------------------------	---------------

(Contd. on page 4)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

Product name: 1,1,1,3,3,3-Hexamethyldisilazane

(Contd. of page 3)

Decomposition temperature:	Not determined
Explosion limits:	
Lower:	0.8 Vol %
Upper:	16.3 Vol %
Vapor pressure at 50°C (122°F):	103 hPa (77 mm Hg)
Density at 20°C (68°F):	0.774 g/cm ³
Solubility in / Miscibility with	
Water:	Reacts
Alcohols:	Reacts

10 Stability and reactivity**Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided:

Water/moisture
Acids
Alcohols
Oxidizing agents

Dangerous reactions

Contact with water releases flammable gases
Reacts with acids
Reacts with alcohols

Dangerous products of decomposition:

Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)
Ammonia

11 Toxicological information**Acute toxicity:****LD/LC50 values that are relevant for classification:**

Oral	LD50	850 mg/kg (mouse) 850 mg/kg (rat)
Dermal	LD50	710 µg/kg (rabbit)
Inhalative	LC50/4H	8700 mg/m ³ /4H (rat)

Primary irritant effect:**on the skin:**

Corrosive effect on skin and mucous membranes.
Irritant to skin and mucous membranes.

on the eye:

Strong corrosive effect.
Irritating effect.

Sensitization: No sensitizing effects known.

Other information (about experimental toxicology):

Tumorigenic effects have been observed on tests with laboratory animals.

Subacute to chronic toxicity:

Corrosive materials are acutely destructive to the respiratory tract, eyes, skin and digestive tract. Eye contact may result in permanent damage and complete vision loss. Inhalation may result in respiratory

(Contd. on page 5)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

Product name: 1,1,1,3,3,3-Hexamethyldisilazane

(Contd. of page 4)

effects such as inflammation, edema, and chemical pneumonitis. May cause coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. Ingestion may cause damage to the mouth, throat and esophagus. May cause skin burns or irritation depending on the severity of the exposure.

Additional toxicological information:

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for components in this product.

12 Ecological information:**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations**Product:****Recommendation**

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information**DOT regulations:**

Hazard class: 3
Identification number: UN2924
Packing group: II
Proper shipping name (technical name): FLAMMABLE LIQUID, CORROSIVE, N.O.S.
 (1,1,1,3,3,3-hexamethyldisilazane)
Label 3+8

Land transport ADR/RID (cross-border)

ADR/RID class: 3 (FC) Flammable liquids
Danger code (Kemler): 338

(Contd. on page 6)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

Product name: 1,1,1,3,3,3-Hexamethyldisilazane

(Contd. of page 5)

UN-Number: 2924
Packaging group: II
Description of goods: 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S.
 (1,1,1,3,3,3-hexamethyldisilazane)

Maritime transport IMDG:

IMDG Class: 3
UN Number: 2924
Label 3+8
Packaging group: II
Proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.
 (1,1,1,3,3,3-hexamethyldisilazane)

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: 3
UN/ID Number: 2924
Label 3+8
Packaging group: II
Proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.
 (1,1,1,3,3,3-hexamethyldisilazane)

15 Regulations

Product related hazard informations:**Hazard symbols:**

C Corrosive

F Highly flammable

Risk phrases:

11 Highly flammable.

20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

34 Causes burns.

Safety phrases:

9 Keep container in a well-ventilated place.

16 Keep away from sources of ignition - No smoking.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

45 In case of accident or if you feel unwell, seek medical advice immediately.

(Contd. on page 7)

Material Safety Data Sheet
acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

Product name: 1,1,1,3,3,3-Hexamethyldisilazane

(Contd. of page 6)

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

Information about limitation of use:

For use only by technically qualified individuals.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.

Contact: Paul V. Connolly

- USA -