

Imation Enterprises Corp.
1 Imation Place
Oakdale, Minnesota
55128-3414
1-888-466-3456

MATERIAL SAFETY DATA SHEET

For Medical Emergencies call: 1-800-328-5274

For Transport/Spill Emergencies call: Chemtrec 1-800-424-9300 (USA) or 1-202-483-7616 (Outside USA)

Effective Date: 07/13/06

Supersedes:

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MATERIAL TYPE: Refrigerant Gas

MSDS ID: 21-2358-6

ITEM NUMBER: 32028025 – Not Active

PRODUCT NAME: Memorex Air Duster

BRAND: Memorex

MANUFACTURER/PRODUCT DESCRIPTION: Air Duster

The information in this Material Safety Data Sheet (MSDS), provided by the manufacturer, is believed to be correct as the date issued. IMATION ENTERPRISES CORP. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Imation Enterprises Corp. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Imation Enterprises Corp. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Imation Enterprises Corp. product to determine whether it is fit for a particular purpose and suitable for the user's method of use or application.

Imation Enterprises Corp. provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alteration in this information, Imation Enterprises Corp. make no representations as to its completeness or accuracy.

MATERIAL SAFETY DATA SHEET

Trade Name: Memorex Air Duster
MSDS NO. 32028025
Revision Date:
Date Printed 02/22/2007

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: Memorex Air Duster
Chemical Family: Refrigerant Gas
Synonyms: None
Emergency Telephone (24 hr.): CHEMTREC 1-800-424-9300
Supplier: Imation Enterprises Corp., 1 Imation Place, Oakdale, Minnesota, 55128-3414

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	OSHA TWA	OSHA STEL	OSHA SKIN
HFC-152a 75-37-6	99-100	Not Listed	Not Listed	Not Listed

Component	Weight %	OSHA Z PEL	OSHA Z TWA	OSHA Z Ceiling
HFC-152a 75-37-6	99-100	Not Listed	Not Listed	Not Listed

Component	ACGIH TLV TWA	ACGIH TLV STEL	ACGIH TLV Ceiling
HFC-152a 75-37-6	Not Listed	Not Listed	Not Listed

Other: Contains no other ingredients in concentrations >.1% that are now known to be hazardous as defined by OSHA.

3. HAZARDS IDENTIFICATION

Emergency Overview: Colorless Liquid. Flammable material. Volatile liquid with ethereal and faint sweetish odor. Overexposure may cause dizziness and loss of concentration. At higher levels, CNS depression and cardiac arrhythmia may result from exposure. Vapors displace air and can cause asphyxiation in confined spaces. At higher temperatures, (>250C), decomposition products may include Hydrofluoric Acid (HF) and carbonyl halides.

HMIS Classification: Health: 1 Flammability: 2 Reactivity: 0
NFPA Rating: HEALTH 2, FLAMMABILITY 2, REACTIVITY 0

4. FIRST AID MEASURES

Eye Contact: Liquid contact can cause severe irritation and frostbite. Mist may irritate.
Ingestion: Ingestion is unlikely. Should it occur, discomfort in the gastrointestinal tract from rapid evaporation of the material and consequent evolution of gas would result. Some effects of inhalation and skin exposure would be expected.
Inhalation: If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult. At high levels, cardiac arrhythmia may occur.
Skin Contact: For exposure to liquid, immediately warm frostbite area with warm water (not to exceed 105°F). In case of massive exposure, remove clothing while showering with warm water. Get medical attention. Irritation may result from a defatting action on tissue

5. FIRE FIGHTING MEASURES

Flammable Properties

Flash Point F(°C): <-58F (Liquid)
Flash Point Method: Not Applicable
Flammable Limits in Air - Lower (%): 3.7
Flammable Limits in Air - Upper (%): 18.0
Autoignition Temperature F(°C): 455 C
Extinguishing Media: Use extinguishing media appropriate for surrounding fire. Use water spray to keep containers cool that are exposed to heat or flames.

MATERIAL SAFETY DATA SHEET

Trade Name: Memorex Air Duster
MSDS NO. 32028025
Revision Date:
Date Printed 02/22/2007

5. FIRE FIGHTING MEASURES

Protection Of Fire-Fighters:

Special Fire-Fighting Procedures:

Wear approved positive-pressure self-contained breathing apparatus and protective clothing. Warning!! Contents under pressure. Container may rupture under fire conditions. Decomposition may occur.

Hazardous Combustion Products:

Exposure to fires could cause containers to rupture or explode. Formation of dangerous gas/vapors in case of decomposition. Contact with certain reactive metals may result in formation of explosive or exothermic reactions under specific conditions (e.g. very high temperatures and/or appropriate pressures).

Aerosol Comments:

NFPA Level 1 Aerosol

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Wear appropriate protective clothing and equipment to prevent skin and eye contact. Avoid breathing vapor. When airborne exposure limits are exceeded use NIOSH approved respiratory protection equipment appropriate to the material and/or its components.

Spill Procedures:

Wear protective equipment specified. Avoid all sources of ignition; heat, sparks and open flames. Use Halogen leak detector or other suitable means to locate leaks or check atmosphere. Keep upwind. Evacuate enclosed spaces and disperse gas with floor-level forced-air ventilation. Exhaust vapors outdoors. Do not smoke or operate internal combustion engines. Evacuate unprotected personnel

Action to be taken if material is released or spilled:

Increase area ventilation. Do not puncture or incinerate container. Contents under pressure.

Environmental Precautions:

Do not allow entry to the atmosphere. Recover, reclaim or recycle when practical.

7. HANDLING AND STORAGE

Handling and Storage:

Use ground strap. Avoid breathing vapors, if exposed to high vapor concentration, leave area at once. Avoid contact with skin and eyes. Use only in a well ventilated area. Do not reuse this container. CAUTION: COMPRESSED GAS. Keep away from heat and open flame. Do not puncture, incinerate or store above 120 F. Do not store in passenger compartment of automobile.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Local exhaust ventilation as necessary to maintain exposures to within applicable limits. Showers. Eyewash stations.

Eyes:

Chemical goggles; also wear a face shield if splashing hazard exists.

Skin Protection:

Avoid skin contact. Wear protective clothing and gloves.

Respiratory Protection:

Use in a well ventilated area. An approved respirator (i.e. NIOSH, etc.) should be worn when exposures are expected to exceed the applicable limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquefied gas.
Odor: MILD ETHER LIKE
pH Value: Neutral
Vapor Pressure: 87.2 psia @ 70F
Vapor Density (Air=1): 2.29
Boiling Point (°F): -24.05 C
Melting/Freezing Point: -117 C
Solubility in Water: UNKNOWN
Bulk Density at 20°C: Not Determined
Molecular Weight: 66.05
Specific Gravity (H2O=1): 0.909 @ 21.1 C
Viscosity: Not determined.
Evaporation Rate: >1
VOC Content (%): 0
Decomposition Temperature: >370 C

10. STABILITY AND REACTIVITY

Chemical Stability:

Stable under normal temperatures and pressures. Explosions may result if in flammable range.

Conditions to Avoid:

Keep away from heat, sparks and flame. Do not expose to heat or store at temperatures above 120 F.

MATERIAL SAFETY DATA SHEET

Trade Name: Memorex Air Duster
MSDS NO. 32028025
Revision Date:
Date Printed 02/22/2007

10. STABILITY AND REACTIVITY

Materials to Avoid: Avoid finely powdered metals such as aluminum, magnesium or zinc. Strong oxidizers. Avoid contact with alkali or alkaline earth metals.
Hazardous Decomposition Products: Thermal decomposition products include hydrogen fluoride, hydrogen chloride, carbon monoxide, carbon dioxide and chlorine.
Hazardous Polymerization: WILL NOT OCCUR

11. TOXICOLOGICAL INFORMATION

Toxicological Data:

Component	Route	Species	Dose
HFC-152a 75-37-6	Inhalation	Rats	Not known.

Carcinogenicity:

Component	IARC	NTP	OSHA
HFC-152a 75-37-6	Not Listed	Not Listed	Not Listed

12. ECOLOGICAL INFORMATION

Remarks: Aquatic Toxicity: 48 hour EC50 - Daphnia magna: 980 mg/L, 96 hour LC50 - Rainbow trout: 450 mg/L

13. DISPOSAL CONSIDERATION

Waste Classification: Discarded product may be classified as ignitable waste (D001) per US EPA
Waste Management: Not determined.
Disposal Method: Disposal should be made in accordance with federal, state and local regulations. Recover, reclaim or recycle when practical.

14. TRANSPORTATION INFORMATION

U.S. DOT:

Proper Shipping Name: ORM-D Consumer Commodity
Hazard Class: ORM-D
UN/NA Number: Not Applicable
DOT Packing Group: NA

IMDG:

Proper Shipping Name: Flammable Gas
Hazard Class: 2.1 (Limited Quantity)
Hazard Subclass: Not determined.
UN No.: UN1030
Packing Group: NA
Marine Pollutant: No

15. REGULATORY INFORMATION

US Federal Regulations:

Component	SARA 313	SARA 302	TPQ	RQ
HFC-152a 75-37-6	Not Listed	Not Listed	Not Listed	Not Listed

SARA 311/312 Hazard Categories: Acute, Chronic, Pressure

MATERIAL SAFETY DATA SHEET

Trade Name: Memorex Air Duster
 MSDS NO. 32028025
 Revision Date:
 Date Printed 02/22/2007

State Regulations:

Component	California Prop. 65 Cancer list	California - Prop 65 Developmental Toxicity	California Prop. 65 Reproductive Female	California Prop. 65 Reproductive Male
HFC-152a 75-37-6	Not Listed	Not Listed	Not Listed	Not Listed

Component	New Jersey Right-to-Know List:
HFC-152a 75-37-6	Substance no. 0715

U.S. TSCA: The components of this product are listed on the TSCA Inventory.
Canadian Inventory: The components of this product are listed on the Canadian DSL or NDSL Inventory.

16. OTHER INFORMATION

General Notes:
Disclaimer: Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system. The information and recommendations contained herein are based upon tests believed to be reliable. However, the manufacturer/distributor of this product does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. The manufacturer/distributor assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.