

SUPER GLUE CORP

-- SUPER GLUE

=====  
MSDS Safety Information  
=====

FSC: 8040  
MSDS Date: 08/18/1993  
MSDS Num: BWBXW  
LIIN: 00N056030  
Product ID: SUPER GLUE  
MFN: 01  
Responsible Party  
Cage: 0ACS9  
Name: SUPER GLUE CORP  
Address: 184-08 JAMACA AVE  
City: HOLLIS NY 11423  
Info Phone Number: 718-454-4747  
Emergency Phone Number: 800-424-9300 (CHEMTREC)  
Published: Y

=====  
Contractor Summary  
=====

Cage: 0ACS9  
Name: SUPER GLUE CORP  
Address: 184-08 JAMAICA AVE  
City: HOLLIS NY 11423  
Phone: 800-221-4478

=====  
Ingredients  
=====

Cas: 7085-85-0  
RTECS #: UD3330000  
Name: 2-PROPENOIC ACID, 2-CYANO-, ETHYL ESTER; (ETHYL  
CYANOACRYLATE)  
% Wt: 60-100  
OSHA PEL: N/K (FP N)  
ACGIH TLV: N/K (FP N)

-----  
Cas: 123-31-9  
RTECS #: MX3500000  
Name: HYDROQUINONE (SARA III)  
% Wt: 0-1  
OSHA PEL: 2 MG/M3  
ACGIH TLV: 2 MG/M3  
EPA Rpt Qty: 1 LB  
DOT Rpt Qty: 1 LB

-----  
Cas: 9011-14-7  
RTECS #: TR0400000  
Name: POLYMETHYLMETHACRYLATE  
% Wt: 10-30  
OSHA PEL: N/K (FP N)  
ACGIH TLV: N/K (FP N)

-----  
Name: SUPDAT:(DO NOT PULL) LIPS APART. IT IS ALMOST IMPOSSIBLE  
TO SWALLOW  
CYANOACRYLATE AS ADHESIVE SOLIDIFIES UPON  
-----

Name: ING 4:CONT W/SALIVA & MAY ADHERE TO INSIDE OF MOUTH.  
SALIVA WILL LIFT  
ADHESIVE IN 1-2 DAYS, AVOID SWALLOWING  
-----

Name: ING 5:ADHESIVE AFTER DETACHMENT.

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: LD50:(ORAL) 12.2 CC/KG

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE:IRRITATES EYES, MUCOUS MEMBRANES.

CHRONIC:NO

RESIDUAL AFFECTS OF ACUTE PROPERTIES.

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: PRE-EXISTING SKIN, EYE AND  
RESPIRATORY

DISORDERS MAY BE AGGRAVATED BY EXPOSURE.

First Aid: EYE:TEARING FROM EYE IRRIT. REMOVE TO FRESH AIR.

FLUSH AREAS OF CONT

W/WATER FOR @ LEAST 15 MINS. ADHESIVE WILL DISASSOCIATE FROM  
EYE/EYELIDS OVER

TIME, USUALLY W/IN SEVERAL HRS. TEMPORARY WEEPING OF  
EYES/DOUBLE VISION MAY

BE EXPERIENCED UN TIL CLEARANCE IS ACHIEVED. SKIN:IMMERSE  
BONDED AREAS IN

WARM, SOAPY WATER. PEEL/ROLL SKIN APART. REMOVE SECURED  
ADHESIVE W/SEVERAL

APPLIC OF WARM, SOAPY(SUPDAT)  
=====

Handling and Disposal  
=====

Spill Release Procedures: POLYMERIZE WITH WATER. SOLID MATERIAL  
MAY BE SCRAPED

FROM SURFACE.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: INCINERATE SOLID COMBUSTIBLE WASTE OR  
DUMP AS CHEMICAL

WASTE ACCORDING TO LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: AVOID MOISTURE, DIRECT  
UV=SUNLIGHT AND DO NOT

STORE ABOVE 25C. KEEP CNTNRS CLSD TIGHTLY WHEN NOT IN USE.

AVOID BRTHG VAP,  
CONT WITH EYES/SKIN.

Other Precautions: DO NOT SOTRE AT -5C WHICH FREEZES PRODUCT TO USELESSSTATE.

PRODUCT NOT DAMAGED BY FREEZING.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: TCC  
Flash Point Text: 176F,80C  
Extinguishing Media: FLUSH WITH LARGE AMOUNTS OF WATER OR DRY CHEMICAL

EXTINGUISHER.

Fire Fighting Procedures: NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP (FP N).

FUMES MAY BE IRRITATING IF NOT BURNING & REQ AIR SUPPLY W/GOGG WHILE

APPLYING LG AMTS OF WATER/DRY (SUPDAT)

Unusual Fire/Explosion Hazard: NONE. COMBUSTIBLE REQUIRING THE ABOVE

PROCEDURES.

=====  
Control Measures  
=====

Respiratory Protection: NORMALLY NOT NECESSARY. A NIOSH/MSHA APPROVED ORGANIC

VAPOR CANISTER MAY BE USED.

Ventilation: LOCAL EXHAUST:TO PREVENT EYE IRRITATION. MECHANICAL

(GENERAL):LARGE AMOUNT:USED TO 2PPM.

Protective Gloves: VINYL (POLYETHYLENE)NON-STICKING GLOVES.

Eye Protection: SAFETY GLASSES & SIDE SHIELD.

Other Protective Equipment: RUBBER APRON TO PROTECT CLOTHING.

Work Hygienic Practices: SOAP AND WATER HELPS REMOVE ADHESIVE FROM SKIN.

Supplemental Safety and Health: SOL IN H\*20:INSOLUBLE, MATL REACTS TO HARDENED

MASS FOR NON-HAZ WASTE. FIRE FIGHT PROC:CHEM EXTING. FIRST AID PROC:WATER.

INHAL:IRRIT OF MUC MEMB/COUGHING. REMOVE TO FRESH AIR.

INGEST:LIPS MAY BECOME

STUCK TOGETHER:APPLY COPIOUS AMTS OF WAR M WATER & ENCOURAGE SWETTING/PRESS FROM SALIVA INSIDE MOUTH. PEEL/ROLL

=====  
Physical/Chemical Properties  
=====

B.P. Text: 149F,65C

Vapor Pres: 1 @ 20C

Spec Gravity: 1.05 (H\*20=1)

Evaporation Rate & Reference: NOT KNOWN

Solubility in Water: SUPP DATA

Appearance and Odor: TRANSPARENT WATER-WHITE TO STRAW COLORED

LIQUID WITH  
STIMULATIVE ODOR

=====  
Reactivity Data  
=====

Stability Indicator: YES  
Stability Condition To Avoid: EXCESSIVE HEAT ABOVE 176F,  
MOISTURE AND  
ALKALINES. STABLE UP TO 122F. STORE IN COOL DRY PLACE.  
Materials To Avoid: POLYMERIZED BY WATER, ALCOHOL, AMINES,  
ALKALINE MATERIALS  
AND DIRECT UV.  
Hazardous Decomposition Products: COMBUSTIBLE BY-PRODUCTS OF  
CARBON  
MONOXIDE/DIOXIDE.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: NOT RELEVANT.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
HAZCOM Label  
=====

Product ID: SUPER GLUE  
Cage: 0ACS9  
Company Name: SUPER GLUE CORP  
Street: 184-08 JAMAICA AVE  
City: HOLLIS NY  
Zipcode: 11423  
Health Emergency Phone: 800-424-9300 (CHEMTREC)  
Label Required IND: Y  
Date Of Label Review: 12/06/1994  
Status Code: C  
Label Date: 12/06/1994  
Origination Code: G  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: WARNING  
Respiratory Protection IND: YES  
Health Hazard: Slight

Contact Hazard: Slight  
Fire Hazard: Moderate  
Reactivity Hazard: None

Hazard And Precautions: COMBUSTIBLE. ACUTE:IRRITATES EYES WITH TEARING.

IRRITATES MUCOUS MEMBRANES WITH COUGHING. CHRONIC:NO RESIDUAL AFFECTS OF ACUTE PROPERTIES.

=====  
Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or

viability by or to any person or persons outside the Department of Defense

nor any person or persons contracting with any instrumentality of the United

States of America and disclaims all liability for such use. Any person

utilizing this instruction who is not a military or civilian employee of the

United States of America should seek competent professional advice to verify

and assume responsibility for the suitability of this information to their

particular situation regardless of similarity to a corresponding Department

of Defense or other government situation.