



# Micro/Nano Fabrication Center Emergency Response Guide

## FIRE

Keep calm

Leave the area immediately

Exit the building via evacuation route

Pull the nearest fire alarm on the way out

Go to the ECE Building South Entrance emergency gathering point

**Call 9-1-1** using any available phone

Notify your supervisor and an MFC Staff member

## LIQUID CHEMICAL SPILL

Remove affected clothing immediately

Wash affected body area with plenty of water (eye rinse station, showers)

Leave the facility

Seek medical assistance

Notify your supervisor and an MFC Staff member

## GAS CHEMICAL RELEASE

Leave the area immediately

Exit the building via evacuation route

Pull the nearest fire alarm on the way out

Go to the ECE Building South Entrance emergency gathering point

**Call 9-1-1** using any available phone

Notify your supervisor and an MFC Staff member

## POWER OUTAGE

Keep Calm

Quickly turn off / safe mode critical equipment

Leave the facility

Notify your supervisor and an MFC Staff member

## FACILITIES OUTAGE

Call to Report:

Exhaust, CDA, Water (Non-DI), Bldg Heat – Facilities Management, 621-3000

House N2, DI Water – MFC Staff (Omid: 471-2084 or Gregg: 307-2760)

## HIGHLY TOXIC/FLAMMABLE CHEMICALS IN THIS FACILITY

Silane, Dichlorosilane, Phospine/Silane – Contact: Omid Mahdavi, 621-9849

HF (anhydrous), Chlorine, Trimethyl aluminum, Titanium tetrachloride –

Contact: Anthony Muscat, 626-6580